

Revision Date: 26-May-2015

Product: Oops Extreme Remover- 1025, 1025A

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Oops Extreme Remover

Product Code: 1025, 1025E

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Cleaner Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: OOPS! 755 Tri-State Parkway Gurnee, IL 60031 855-364-8138

Emergency Phone Number

-800-535-5053

International: 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Hazard Class	Category
Flammable aerosol	1
Gasses under pressure- Liquefied gas	N/A
Skin irritation	2
Eye irritation	2A
Reproductive toxicity (developmental)	2
Specific organ toxicity after single exposure	1
Specific organ toxicity after repeated exposure	2
Aspiration toxicity	1

Label Elements

Hazard Symbols(s):



Signal Word(s): Danger

Hazard Statement(s): Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Suspected of damaging the unborn child. Causes damage to eyes. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Precautionary Statement(s): Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. –No smoking. Do not spray on an open flame or other ignition source. Pressurized container. Do not pierce or burn. Even after use. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat drink or smoke when using this product. Use only outdoors or in a well-ventilated area. If exposed: Call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Protect



Product: Oops Extreme Remover- 1025, 1025A

Revision Date: 26-May-2015

from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

None

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Acetone	67-64-1	30-60
Toluene	108-88-3	10-30
Propane	74-98-6	10-30
Isobutane	75-28-5	7-13
Methyl alcohol	67-56-1	1-5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

Skin: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory tract irritation. May cause drowsiness or dizziness.

Eye Contact: Cause serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Ingestion: May cause stomach distress, nausea or vomiting. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis.

Skin: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing Media

Suitable: Powder, water fog, foam, carbon dioxide.

Unsuitable: Do not use a heavy water stream.

Specific Hazards Arising from Chemical

Extremely flammable aerosol. Products of combustion include but are not limited to: oxides of carbon. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Protective Equipment and Precautions for Firefighters

Cool closed containers exposed to fire with water. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Containers may explode when heated. Use water spray to keep fire-exposed containers cool.



Revision Date: 26-May-2015

Product: Oops Extreme Remover- 1025, 1025A

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Eliminated sources of ignition. Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container. Vapors may be heavier than air and may travel along the ground to distant ignition source and flash back. Provide ventilation.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Keep away from sources of ignition. –No smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Pressurized container. Do not pierce or burn, even after use.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep out of the reach of children. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep out of direct sunlight.

Incompatible Materials: Oxidizers.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone (67-64-1)	250 ppm	2400 mg/m ³	Not available
Toluene (108-88-3)	20 ppm	200 ppm	Not available
Propane (74-98-6)	Not available	1800 mg/m ³	Not available
Isobutane (75-28-5)	1000 ppm	Not available	Not available
Methyl alcohol (674-56-1)	200 ppm	260 mg/m ³	Not available

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection Measures

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin and Body Protection: Wear suitable protective clothing.

Eye/Face Protection: Wear eye protection.

General Work/Hygienic Practices: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gas/Pressurized colorless liquid

Odor: Solvent

Odor threshold: Not determined

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 26-May-2015

Product: Oops Extreme Remover- 1025, 1025A

pH: Not determined

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: -20°C (-4°F)

Evaporation rate: Not determined

Flammability (solid, gas): Flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Relative density: 0.81

Solubility(ies): Not determined.

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials. Sources of ignition.

Incompatible materials: Oxidizers.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: No IARC: No OSHA: No

Numerical Measures of Toxicity

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	>5 mg/l/4h, rat

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone (67-64-1)	5800 mg/kg (rat)	Not available	5100 mg/m ³ /8h (rat)
Toluene (108-88-3)	2600 mg/kg (rat)	12000 mg/kg (rabbit)	28.1 mg/l/5h (rat)
Propane (74-98-6)	Not available	Not available	658 mg/l/4h (rat)

SAFETY DATA SHEET



Product: Oops Extreme Remover- 1025, 1025A

Revision Date: 26-May-2015

Isobutane (75-28-5)	Not available	Not available	658 mg/l/4h (rat)
Methyl alcohol (674-56-1)	5628 mg/kg (rat)	15800 mg/kg (rabbit)	22500 ppm/8h (rat)

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established

Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

UN1950, Aerosols, 2.1

DOT (Ground): Limited quantity

IATA (Air): Regulated

IMDG (Vessel): Limited quantity

SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

SARA 313

This product contains chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act and Title 40 of the Code of Federal Regulations, Part 372. Chemicals: toluene and methyl alcohol.

This product contains chemicals known to the State of California to cause birth defects or other reproductive harm: toluene and methanol

SECTION 16 – OTHER INFORMATION

Issue Date: 26-May-2015

Revision Date: 26-May-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet