



SAFETY DATA SHEET

Preparation Date: 1/21/2014

Revision Date: 1/16/2018

Revision Number: G2

1. IDENTIFICATION Product identifier YY1531 **Product code:** Isopropyl Rubbing Alcohol, 70%, USP **Product Name:** Other means of identification 2-Propanol, 70% Synonyms: Isopropanol, 70% Isopropyl Rubbing Alcohol Alcool isopropylique, 70% (French) Alcohol isopropílico, 70% (Spanish) CAS #: Mixture **RTECS #** NT8050000 (Isopropyl alcohol) ZC0110000 (Water) CI#: Not available Recommended use of the chemical and restrictions on use Antiseptic. Disinfectant. **Recommended use:** No information available Uses advised against Spectrum Chemical Mfg. Corp Supplier: 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000 https://www.spectrumchemical.com **Order Online At:** Chemtrec 1-800-424-9300 Emergency telephone number **Contact Person:** Martin LaBenz (West Coast)

Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

Contact Person:

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 2

Label elements

Danger

Hazard statements

Causes serious eye irritation Suspected of damaging fertility or the unborn child May cause respiratory irritation. May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure Highly flammable liquid and vapor



Hazards not otherwise classified (HNOC) Not Applicable

Other hazards

Can burn with an invisible flame Causes mild skin irritation

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/.../equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

In case of fire: Use CO2, dry chemical, or foam to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Isopropyl Alcohol	67-63-0	70
Water	7732-18-5	30

4. FIRST AID MEASURES

First aid measures

General Advice:	National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops.
Eye Contact:	Flush eyes with water for 15 minutes. Get medical attention.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Moderate eye irritation Mild skin irritation Central nervous system effects

Mild skin irritation Central nervous system effects Dizziness Drowsiness Ataxia Narcosis Irritability Hallucinations May cause cardiovascular effects Cardiac arrhythmias May affect respiration Dyspnea (Difficulty breathing and shortness of breath) Respiratory depression Nausea Vomiting

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

Carbon dioxide (CO2). Dry chemical. Alcohol-resistant foam. Water spray.

Unsuitable Extinguishing Media:

Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products:

Carbon monoxide; Carbon dioxide

Hazardous Combustion Products:	No information available.
Specific hazards:	Flammable. May be ignited by heat, sparks or flames. Container explosion may occur under fire conditions or when heated. Material can burn with invisible flame. Vapor may travel considerable distance to source of ignition and flash back. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Fire may produce irritating, corrosive and/or toxic gases.
Special Protective Actions for Firefighters	
Specific Methods:	Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.
Special Protective Equipment for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for contai	nment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Sensitive to light. Store in light-resistant containers. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents Acids Bases isocyanates Amines Ammonia Halogenated compounds Halogens Chlorine Phosgene Ethylene oxide Acetaldehyde chromium trioxide Potassium t-butoxide Aluminum Oleum

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Isopropyl Alcohol	67-63-0	400 ppm TWA 980 mg/m³ TWA	400 ppm TWA 980 mg/m ³ TWA 500 ppm STEL 1225 mg/m ³ STEL	400 ppm STEL 200 ppm TWA	None
Water	7732-18-5	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Isopropyl Alcohol	67-63-0	200 ppm TWA 492 mg/m ³ TWA 400 ppm STEL 984 mg/m ³ STEL	200 ppm TWA 400 ppm STEL	400 ppm STEL	None
Water	7732-18-5	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Isopropyl Alcohol	67-63-0	500 ppm STEL	400 ppm TWA
		1230 mg/m ³ STEL	980 mg/m ³ TWA
		400 ppm TWA	500 ppm STEL
		983 mg/m ³ TWA	1225 mg/m ³ STEL
Water	7732-18-5	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Goggles
Skin and body protection:	Chemical resistant apron Long sleeved clothing Gloves
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Flammability:

Closed cup

Taste

No information available.

No information available.

No information available

Flash Point Tested according to:

Upper Explosion Limit (%):

12.7 (Isopropyl Alcohol)

Specific gravity:

Evaporation rate:

2.8 (1 = Butyl Acetate)

Odor threshold (ppm):

22 ppm (Isopropyl Alcohol)

0.872-0.883

Physical state: Liquid

Odor: Pleasant. Odor resembling that of a mixture of ethanol and acetone.

Molecular/Formula weight: No information available

Flashpoint (°C/°F): 18.3-24 °C/64.9-75°F

Lower Explosion Limit (%): 2% (Isopropyl Alcohol)

Decomposition temperature(°C/°F): Boiling point/range(°C/°F): No information available 78.3 °C/173 °F

Density (g/cm3): No information available

Vapor pressure @ 20°C (kPa): 3.066

VOC content (g/L): 563-615

Viscosity: No information available **Miscibility:** Miscible with water Miscible with alcohol Color: Clear. Colorless.

Formula: No information available

Flash point (°C): 18.3

Autoignition Temperature (°C/°F): 399 °C/750.2 °F (Isopropyl Alcohol)

Melting point/range(°C/°F): < -40 °C/-40°F

Bulk density: No information available

pH: No information available

Vapor density: No information available

Partition coefficient (n-octanol/water): -0.16

Solubility: Completely soluble

Reactivity

10. STABILITY AND REACTIVITY

Product code: YY1531

Product name: Isopropyl Rubbing Alcohol, 70%, USP Reactive with acids Reacts with strong bases It can react vigorously, violently or explosively with oxidizers Contact with strong oxidizers may cause fire Vigorous reaction when mixed with sodium dichromate + sulfuric acid Explosive reaction can occur when it is mixed with nitroform Contact with potassium-tert-butoxide can cause ignition It forms explosive mixtures with trinitromethane, hydrogen peroxide, barium perchlorate Hydrogen peroxide sharply reduces the autoignition temperature of isopropyl alcohol After a delay, isopropyl alcohol ignites on contact with dioxgenyl tetrafluoborate, chromium trioxide, potassium tert-butoxide It reacts violently with hydrogen-palladium combination, oleum, aluminum triisopropoxide, COCl2 Ignition occurs when potassium tert-butoxide reacts with n-propanol

Chemical stability

Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	: Hazardous polymerization does not occur
Conditions to avoid:	Heat. Ignition sources. Exposure to light. Incompatible materials.
Incompatible Materials:	Oxidizing agents Acids Bases isocyanates Amines Ammonia Halogenated compounds Halogens Chlorine Phosgene Ethylene oxide Acetaldehyde chromium trioxide Potassium t-butoxide Aluminum Oleum
Hazardous decomposition products:	Carbon monoxide. Carbon dioxide. When heated to decomposition it emits acrid smoke and irritating fumes.
Other Information Corrosivity:	No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Ingestion. Skin. Eyes. Inhalation.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)6289 mg/kg

Product code: YY1531

Isopropyl Alcohol			
CAS-No.	67-63-0		
LD50/oral/rat = 1870 mg/kg Oral LD50 Rat			
LD50/oral/mouse = 3600 mg/kg (RTECS)			
LD50/dermal/rabbit = 12800 mg/kg(RTECS)			
4059 mg/kg(LOLI)			
12870 mg/kg(EU Chemicals Bureau IUCLID dataset)			
LD50/dermal/rat = No information available			
LC50/inhalation/rat = 72.6 m			
16000 ppm Inhalation LC50 R			
LC50/inhalation/mouse = 27			
	tion = LD50 oral 6410 mg/kg [Rabbit]		
Water CAS-No.	7732-18-5		
LD50/oral/rat = > 90 mL/kg C LD50/oral/mouse = No inform			
LD50/dermal/rabbit = No info			
LD50/dermal/rabbit = No inform			
LC50/inhalation/rat = No info			
LC50/inhalation/mouse = No			
	tion = No information available		
Product Information			
LD50/oral/rat =			
VALUE- Acute Tox Oral = No in	formation available		
LD50/oral/mouse =			
Value - Acute Tox Oral = No inf	ormation available		
LD50/dermal/rabbit	I D50/dermal/rabbit		
VALUE-Acute Tox Dermal = No	information available		
LD50/dermal/rat			
VALUE -Acute Tox Dermal = No	o information available		
LC50/inhalation/rat			
	VALUE-Vapor = No information available		
VALUE-Gas = No information available			
VALUE-Dust/Mist = No information available			
CEO/Inhalation/mouse			
LC50/Inhalation/mouse	ovoilable		
VALUE-Vapor = No information available VALUE - Gas = No information available			
VALUE - Dust/Mist = No information a			
Symptoms_			
Skin Contact:	May cause skin irritation. Mild skin irritation. It may be absorbed through the skin.		
	If absorbed through skin it may cause systemic effects.		
Eye Contact:	Causes serious eye irritation. Moderately irritating to the eyes.		
-			
Inhalation	Irritating to respiratory system. It may affect the cardiovascular system (change in		
Product code: YY1531	Product name: Isopropyl Rubbing 8 / 14		
	Alcohol, 70%, UŠP		

	pulse rate). May affect respiration (respiratory depression). Inhalation of high concentrations of vapor may cause anesthetic effects. Inhalation of high concentrations of vapors may cause dizziness or suffocation. May affect behavior/cental nervous system (dizziness, loss of coordination, coma). May affect behavior/central nervous system (headache, fatigue, lack of concentration, reduced memory, hallucinations, stupor, unconciousness). May affect behavior/central nervous system (somnolence).
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause abdominal pain. Aspiration into the lungs can cause chemical pneumonitis. Aspiration may lead to pulmonary edema. May affect the cardiovascular system (change in heart rate). May affect cardiovascular system (hypotension, cardiac arrhythmias). May affect respiration (dyspnea, respiratory depression). May affect urinary system (kidneys). May affect peripheral nervous system (peripheral nerve and senstation - spastic paralysis with or without sensory change). It may affect behavior/central nervous system (dizziness, headache). May affect behavior/central nervous system (somnolence). May affect behavior central nervous system (somnolence). May affect behavior central nervous system (irritability, hallucinations, coma).
Aspiration hazard	No information available.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Chronic Toxicity	Prolonged or repeated skin contact may cause dermatitis and defatting, dryness, and cracking of the skin. Chronic exposure may cause central nervous system effects. Prolonged or repeated inhalation may affect the peripheral nervous system (weakness, peripheral neuropathy with paresthesia - a tingling, pricking, or numbness of the skin (known as the feeling of "pins and needles) generally of the hands and feet (extremities)). Prolonged or repeated ingestion may affect the liver. Prolonged or repeated inhalation may affect the liver. Prolonged or repeated inhalation may affect the kidneys. Prolonged or repeated inhalation may affect the brain. Prolonged or repeated inhalation may affect the blood (changes in serum composition, pigmentated or nucleated red blood cells).
Sensitization:	No information available.
Mutagenic Effects:	No information available
Carcinogenic effects:	Not classifiable as a human carcinogen. Not classifiable as to its carcinogenicity to

humans.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Isopropyl Alcohol		Classifiable - Monograph 71	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ter 7732-18-5 Not listed Not listed N ACGIH (American Conference of Governmental Industrial Hygienists) A4 - Not Classifiable as a Human Carcinogen IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to its carcinogenicity to humans NTP (National Toxicology Program)

Reproductive toxicity	Suspected of damaging fertility or the unborn child
Reproductive Effects: Developmental Effects: Teratogenic Effects:	No information available No information available May cause birth defects (teratogenic effects) based on animal test data Showed teratogenic effects in animal experiments
Specific Target Organ Toxicity	

STOT - single exposure	Respiratory system. central nervous system.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target Organs:	Skin. Central nervous system. Peripheral nervous system. Brain. Liver. Kidneys.
	Blood. Spleen.

12. ECOLOGICAL INFORMATION

Ecotoxicity	
Ecotoxicity effects:	Aquatic environment.
lsopropyl Alcohol - 67-63-0 Freshwater Algae Data:	1000 mg/L EC50 Desmodesmus subspicatus 96 h 1000 mg/L EC50 Desmodesmus subspicatus 72 h
Freshwater Fish Species Data:	9640 mg/L LC50 Pimephales promelas 96 h flow-through 1 11130 mg/L LC50 Pimephales promelas 96 h static 1 1400000 μg/L LC50 Lepomis macrochirus 96 h 1
Water Flea Data:	13299 mg/L EC50 Daphnia magna 48 h
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility:	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Isopropyl Alcohol	67-63-0	None	None	None	None
Water	7732-18-5	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Proper Shipping Name:

UN1219 Isopropanol, solution

Product code: YY1531

Product name: Isopropyl Rubbing Alcohol, 70%, USP

Hazard Class: Subsidiary Class Packing group: Emergency Response Guide Number Marine Pollutant DOT RQ (Ibs): Special Provisions Symbol(s): Description:	3 No information available II No information available No data available No information available No Information available No information available UN1219,Isopropanol (Solution) ,3,,PG II
TDG (Canada) UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant Description:	UN1219 Isopropanol, solution 3 No information available II No Information available ISOPROPANOL,3,UN1219,PG II,Solution
ADR UN-No: Proper Shipping Name: Hazard Class: Packing Group: Subsidiary Risk: Description:	UN1219 Isopropanol (Isopropyl alcohol), solution 3 II No information available UN1219 Isopropanol (Isopropyl alcohol),3,II,Solution
IMO / IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant EMS:	UN1219 Isopropanol (Isopropyl alcohol), solution 3 No information available II No information available F-E
RID UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Description:	UN1219 Isopropanol (Isopropyl alcohol), solution 3 3 II UN1219 Isopropanol (Isopropyl alcohol),3,II,RID,Solution
ICAO UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Description:	UN1219 Isopropanol, Solution 3 No information available II Isopropanol,3,UN1219,PG II,Solution
IATA UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group:	UN1219 Isopropanol, solution 3 No information available II
Product code: YY1531	Product name: Isopropyl Rubbing Alcohol, 70%, USP

ERG Code: Special Provisions Description:

3L No information available UN1219,Isopropanol,3,PG II,Solution

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Isopropyl Alcohol	67-63-0	PresentACTIV E	Present KE-29363	Present	Present (2)-207	Present	Present	Present 200-661-7
Water	7732-18-5	Present	Present KE-35400	Present	Not present	Present	Present	Present 231-791-2

U.S. Regulations

Isopropyl Alcohol Massachusetts RTK: Present New Jersey RTK Hazardous Substance List: 1076 New Jersey (EHS) List: 1076 500 lb TPQ New Jersey - Discharge Prevention - List of Hazardous Substances: Present Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present California Directors List of Hazardous Substances: Present FDA - Direct Food Additives FDA - 21 CFR - Total Food Additives 172.385, 172.515, 172.560, 172.665, 172.695, 173.240, 173.340, 175.105, 176.180, 176.200, 176.210, 177.1200, 177.2800, 178.1010, 178.3910, 73.1, 73.1001, 73.30, 73.315, 73.345, 73.615

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Isopropyl Alcohol	67-63-0	Not Listed	Not Listed	Not Listed	Not Listed
Water	7732-18-5	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Isopropyl Alcohol	67-63-0	None	None	None		1.0 % de minimis concentration
Water	7732-18-5	None	None	None	None	None

U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	
Isopropyl Alcohol	67-63-0	Not Applicable	Not Applicable
Water	7732-18-5	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Isopropyl Alcohol 67-63-0 (70)

Water 7732-18-5 (30) WHMIS 2015 Hazard Classification Flammable liquids - Category 2: H225 Highly flammable liquid and vapour.; Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation. (70% aqueous solution) Not a dangerous product according to HPR classification criteria

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

B2 Flammable liquid D2B Toxic materials

Components

Isopropyl Alcohol Water WHMIS 1988 B2,D2B including 70% Uncontrolled product according to WHMIS classification criteria

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Isopropyl Alcohol	1 %

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Isopropyl Alcohol	67-63-0	Present	Not Listed
Water	7732-18-5	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Isopropyl Alcohol	67-63-0	Not listed
Water	7732-18-5	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Isopropyl Alcohol	67-63-0	Not listed
Water	7732-18-5	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Isopropyl Alcohol	67-63-0	Flammable liquids - Flam. Liq. 2: H225 Highly flammable liquid and vapour.; Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation.; Specific target organ toxicity - Single exposure - STOT SE 3: H336 May cause drowsiness or dizziness.603-117-00-0
Water	7732-18-5	

EU - CLP (1272/2008)

R-phrase(s)

R11 - Highly flammable.

R36 - Irritating to eyes.

R67 - Vapors may cause drowsiness and diziness.

S -phrase(s)

S 7 - Keep container tightly closed.

S16 - Keep away from sources of ignition - No smoking.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S24/25 - Avoid contact with skin and eyes.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Isopropyl Alcohol	67-63-0	F; R11 Xi; R36 R67	No information	S2 S7 S16 S24/25 S26
Water	7732-18-5		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

F - Highly flammable. Xi - Irritant.



16. OTHER INFORMATION

Preparation Date:	1/21/2014
Revision Date:	1/16/2018
Prepared by:	Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet