

Safety Data Sheet

performance through chemistry

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/03/2013

Revision date: 06/07/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Hydrochloric Acid, 0.2N (0.2M)
Product code	: LC15240
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
Use of the substance/mixture	: For laboratory and manufacturing use only
1.3. Details of the supplier of the safet	y data sheet
LabChem Inc Jackson's Pointe Commerce Park Building 100 Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 <u>info@labchem.com</u> - <u>www.labchem.com</u>	00, 1010 Jackson's Pointe Court
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 or 011-703-527-3887
SECTION 2: Hazard(s) identificatio	n
2.1. Classification of the substance or	
GHS-US classification	
Skin corrosion/irritation Category 1C Serious eye damage/eye irritation Category 1 Full text of H statements : see section 16	H314 H318
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS05
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage
Precautionary statements (GHS-US)	 P260 - Do not breathe mist, vapors, spray P264 - Wash exposed skin thoroughly after handling P280 - Wear protective gloves, eye protection, protective clothing, face protection P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor/physician If inhaled: Remove person to fresh air and keep comfortable for breathing P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container to comply with local, state and federal regulations
2.3. Other hazards	
Other hazards not contributing to the classification	: None.
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/Informat	ion on ingredients
3.1. Substance	
Not applicable	
06/07/2016	EN (English LIS) Bogg 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	99.18	Not classified
Hydrochloric Acid, 37% w/w	(CAS No) 7647-01-0	0.82	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: Possible inflammation of the respiratory tract.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Nausea. Vomiting. Diarrhoea.
Chronic symptoms	: Affection/discolouration of the teeth.
4.3. Indication of any immediate medic	cal attention and special treatment needed
Obtain medical assistance.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: Not flammable.
Explosion hazard	: Not applicable.
Reactivity	: Thermal decomposition generates : Corrosive vapors.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Not applicable.
Protection during firefighting Other information SECTION 6: Accidental release mea	: Not applicable.

6.1. Personal precautions, protective equ	Personal precautions, protective equipment and emergency procedures		
General measures	: Try to stop release. Dike and contain spill.		
6.1.1. For non-emergency personnel			
Protective equipment	: Gloves. Safety glasses. Protective clothing. Face-shield.		
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
Methods	for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mist, vapors, spray.
Hygiene measures	: Wash exposed skin thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : incompatible materials. Keep container closed when not in use.
Incompatible products	: metals. cyanides. Strong bases.
Incompatible materials	: Direct sunlight.
Packaging materials	: Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrochloric Acid, 37% w/w (7647-01-0)		
ACGIH	ACGIH Ceiling (mg/m ³)	2.98 mg/m ³
ACGIH	ACGIH Ceiling (ppm)	2 ppm
OSHA	OSHA PEL (Ceiling) (mg/m ³)	7 mg/m ³
OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm
IDLH	US IDLH (ppm)	50 ppm
NIOSH	NIOSH REL (ceiling) (mg/m ³)	7 mg/m ³
NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm
Water (7732-18-5)		
Not applicable		

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: Colorless	
Odor	: Odorless	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ay, March 20, 2012 / Haics and Heghlations
Odor threshold	: No data available
pH	: 0.7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 ℃	: No data available
Relative density	: No data available
Specific gravity / density	: 1 - 1.1
Molecular mass	: 36.46 g/mol
Solubility	: Soluble in water. Soluble in ethanol. Soluble in methanol.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not applicable.
Oxidizing properties	: None.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Thermal decomposition generates : Corrosive vapors.	
10.2. Chemical stability	
Stable under normal conditions. Not established.	
10.3. Possibility of hazardous reactions	
Reacts violently with (some) bases: release of heat.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	
metals. cyanides. Strong bases.	
10.6. Hazardous decomposition products	
Hydrogen chloride. Thermal decomposition generates : Corrosive vapors.	
SECTION 11: Toxicological information	

11.1. Information on toxicological effects

	: Skin and eye contact : Not classified
Hydrochloric Acid, 37% w/w (7647-01-0)	
LD50 oral rat	700 mg/kg
LD50 dermal rabbit	5010 mg/kg
ATE US (oral)	700.000 mg/kg body weight
ATE US (dermal)	5010.000 mg/kg body weight
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Water (7732-18-5)	
ATE US (oral)	90000.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: 0.7
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 0.7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Hydrochloric Acid, 37% w/w (7647-01-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	. Not share find
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
Symptoms/injuries after inhalation	: Possible inflammation of the respiratory tract.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Nausea. Vomiting. Diarrhoea.
Chronic symptoms	: Affection/discolouration of the teeth.

SECTION 12: Ecological information

12.1. Toxicity

Hydrochloric Acid, 37% w/w (7647-01-0)	
LC50 fish 1	282 mg/l (LC50; 96 h)
EC50 Daphnia 1	< 56 mg/l (EC50; 72 h)
•	
12.2. Persistence and degradability	

12.2. Persistence and degradability	
Hydrochloric Acid, 0.2N (0.2M)	
Persistence and degradability	Not established.
Hydrochloric Acid, 37% w/w (7647-01-0)	
Persistence and degradability	Biodegradability: not applicable. No test data on mobility of the components available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Water (7732-18-5)	
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
Hydrochloric Acid, 0.2N (0.2M)	
Bioaccumulative potential	Not established.
Hydrochloric Acid, 37% w/w (7647-01-0)	
Log Pow	0.25 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Water (7732-18-5)	
Bioaccumulative potential	Not established.
06/07/2016	EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil	
Hydrochloric Acid, 37% w/w (7647-01-0)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
12.5. Other adverse effects	
Effect on the global warming GWPmix comment	No known effects from this product.No known effects from this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN1789 Hydrochloric acid, 8, III
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Packing group (DOT) Hazard labels (DOT)	 : UN1789 : Hydrochloric acid : 8 - Class 8 - Corrosive material 49 CFR 173.136 : III - Minor Danger : 8 - Corrosive
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Special Provisions (49 CFR 172.102)	 A3 - For combination packaging, if glass inner packaging (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packaging IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672) T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel
DOT Vessel Stowage Other	: 8 - Glass carboys not permitted on passenger vessels
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

Transport by sea

Air transport

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Hydrochloric Acid, 0.2N (0.2M)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Hydrochloric Acid, 37% w/w	CAS No 7647-01-0	0.82%	

Hydrochloric Acid, 37% w/w (7647-01-0)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

15.2. International regulations

Hydrochloric Acid, 0.2N (0.2M)		
Class E - Corrosive Material		
Hydrochloric Acid, 37% w/w (7647-01-0)		
Class E - Corrosive Material		
Water (7732-18-5)		
Uncontrolled product according to WHMIS classification criteria		

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16:	Other information	
Revision date		: 06/07/2016
Other information		: None.
Full text of H-phra	ses: see section 16:	
H302		Harmful if swallowed
H314		Causes severe skin burns and eye damage
H318		Causes serious eye damage
H335		May cause respiratory irritation
H402		Harmful to aquatic life

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	·
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal Protection	: C
	C - Safety glasses, Gloves, Synthetic apron

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.